

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/634,218	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 06:28
S2	0	10/619,278	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:26
S3	14	"6513085"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:30
S6	3	"20030016734"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:44
S7	2	"20030074511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:39
S8	63	(repeater or transceiver or transfer\$3 adj1 device) and (clock or signal or carrier) with recovery same (adjust\$3 or align\$3 or tun\$3) same transmit\$4 adj2 clock	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 15:51
S9	44	(repeater or transceiver or transfer\$3 adj1 device) and (clock or signal or carrier) with recovery same ((adjust\$3 or align\$3 or tun\$3) with transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 08:02
S10	16	(repeater or transfer\$3 adj1 device) and (clock or signal or carrier) with recovery same ((adjust\$3 or align\$3 or tun\$3) with transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 13:46
S11	21	(repeater or transfer\$3 adj1 device) and (clock or signal or carrier) same recovery same ((adjust\$3 or align\$3 or tun\$3) with transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/16 16:02
S12	5	S11 not S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 06:53

EAST Search History

S22	1	11/331,520	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 13:36
S23	4	"7010062"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 13:36
S24	8	("4604583" "5315583" "5406592" "5815529" "6275990" "6359945" "6704374" "6721337").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/01/17 13:36
S25	0	(repeater or transfer\$3 adj1 device) and (clock or signal or carrier or frequency or tim\$3) with recovery same PLL same ((adjust\$3 or align\$3 or tun\$3) with transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 13:47
S26	4	(repeater or transfer\$3 adj1 device) and (clock or signal or carrier or frequency or tim\$3) with recovery same PLL same ((adjust\$3 or align\$3 or tun\$3) same transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 13:49
S27	28	(repeater or transfer\$3 adj1 device) and (clock or signal or carrier or frequency or tim\$3) with recovery same PLL and ((adjust\$3 or align\$3 or tun\$3) same transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:17
S28	29	(repeater or transfer\$3 adj1 device) and ((clock or signal or carrier or frequency or tim\$3) with recover\$3) same PLL and ((adjust\$3 or align\$3 or tun\$3) same transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:06
S29	80	(transceiver) and ((clock or signal or carrier or frequency or tim\$3) with recover\$3) same PLL and ((adjust\$3 or align\$3 or tun\$3) same transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:07
S30	1	(transceiver) and ((clock or signal or carrier or frequency or tim\$3) with recover\$3) same PLL with ((adjust\$3 or align\$3 or tun\$3) same transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:09
S31	6	(transceiver) and ((clock or signal or carrier or frequency or tim\$3) with recover\$3) same PLL same ((adjust\$3 or align\$3 or tun\$3) same transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 07:35
S32	20	(repeater or transfer\$3 adj1 device) and (clock or signal or carrier or frequency or tim\$3) with recovery same PLL and (transmi\$5 adj3 (filter\$3 or interpolat\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:37

EAST Search History

S33	224	clock adj3 recover\$3 same filter\$3 same (transmi\$5 adj3 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:38
S35	127	(transceiver or repeater or modem) and S33	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:41
S36	73	S35 and (PLL or phase adj1 locked adj1 loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 14:42
S37	284	transmit\$4 adj2 clock same (adjust\$4 or align\$4 or tun\$4 or correct\$3) same (filter\$3 or track\$3 adj2 (loop or circuit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 16:23
S38	153	S37 and (PLL or phase adj1 locked adj1 loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 16:23
S39	45	S37 and (PLL or phase adj1 locked adj1 loop) same phase adj2 (detect\$3 or compar\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 16:50
S40	924	(dual or multiple) with (PLL or phase adj1 locked adj1 loop) same phase adj2 (detect\$3 or compar\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 16:52
S41	12	S40 and transmit\$4 adj2 clock same (adjust\$4 or align\$4 or tun\$4 or correct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/17 16:53
S42	219	(dual or multiple) with (PLL or phase adj1 locked adj1 loop) same phase adj2 (detect\$3 or compar\$5) same (adjust\$4 or align\$4 or tun\$4 or correct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 06:47
S43	102	(dual or multiple) with (PLL or phase adj1 locked adj1 loop) same phase adj2 (detect\$3 or compar\$5) with (adjust\$4 or align\$4 or tun\$4 or correct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 06:47

EAST Search History

S44	20	((clock or signal or carrier or frequency or tim\$3) with recover\$3) same PLL same ((adjust\$3 or align\$3 or tun\$3) same transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:07
S45	5	((clock or signal or carrier or frequency or tim\$3) with recover\$3) same PLL same ((adjust\$3 or align\$3 or tun\$3) with transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 07:42
S46	15	S44 not S45	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 07:42
S48	93	(clock or signal or carrier) with recovery same ((adjust\$3 or align\$3 or tun\$3) with transmit\$4 adj2 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 09:44
S49	65	S48 and (repeater or transceiver or transfer\$3 adj1 device or data adj2 transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 08:31
S50	175	phase adj2 lock\$3 with (transmi\$5 or TX) adj2 clock with (receiv\$3 adj3 clock with phase)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 08:34
S51	28	S48 not S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 09:44
S52	0	((clock or signal or carrier or frequency or tim\$3) with recover\$3) same PLL same ((difference or error or offset) same (transmit\$4 adj2 clock with receiv\$3 adj3 clcok))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:13
S59	1365	((difference or error or offset) same ((transmi\$5 same receiv\$3) adj3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:10
S60	1084	((difference or error or offset) same (transmit\$4 adj2 clock same receiv\$3 adj3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:10

EAST Search History

S61	357	PLL and ((difference or error or offset) same (transmit\$4 adj2 clock same receiv\$3 adj3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:11
S62	242	((clock or signal or carrier or frequency or tim\$3) with recover\$3 or CDR) and PLL and ((difference or error or offset) same (transmit\$4 adj2 clock same receiv\$3 adj3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:11
S63	95	((clock or signal or carrier or frequency or tim\$3) with recover\$3 or CDR) same PLL and ((difference or error or offset) same (transmit\$4 adj2 clock same receiv\$3 adj3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:18
S64	17	((clock or signal or carrier or frequency or tim\$3) with recover\$3 or CDR) same PLL same ((difference or error or offset) same (transmit\$4 adj2 clock same receiv\$3 adj3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:15
S65	6	((clock or signal or carrier or frequency or tim\$3) with recover\$3 or CDR) same PLL same ((difference or error or offset) same (transmit\$4 adj2 clock with receiv\$3 adj3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:15
S66	6	((clock or signal or carrier or frequency or tim\$3) with recover\$3) same PLL same ((difference or error or offset) same (transmit\$4 adj2 clock with receiv\$3 adj3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:13
S67	11	S64 not S66	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 10:16
S69	78	S63 not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:48
S70	197	(Sutardja with Pantas) or (Wu with Lei) or (Sheng with Hongying)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:50
S71	15	((Sutardja with Pantas) or (Wu with Lei) or (Sheng with Hongying)) and clock adj3 recover\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:53

EAST Search History

S72	32	((Sutardja with Pantas) or (Wu with Lei) or (Sheng with Hongying)) and (PLL or CDR or phase adj2 locked adj2 loop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:54
S73	20	S72 not S71	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:55
S74	8	S72 not S71 and (transceiver or repeater or data adj2 transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 15:56
S75	12	S73 not S74	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 16:58
S76	11	MULTIPOINT ADJ2 REPEATER AND (CLOCK ADJ1 RECOVER\$4 OR cdr OR PLL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 17:40
S77	1	10/636,325	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/18 17:40
S81	25	de\$2serializer with (benefit or advantage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:00
S84	17	de\$2serializer with (improv\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 08:55
S85	2	de\$2serializer near (improv\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 08:53
S86	2	"7088767"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:50

EAST Search History

S87	63	plurality with (receiver same transmitter) same (PLL or CDR or (clock or data or carrier) adj3 recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 11:13
S88	1	plurality with (receiver same transmitter) same (PLL or CDR or (clock or data or carrier) adj3 recovery) same (unique or dedicat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 09:53
S89	2	10/395,057	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 10:53
S90	125	plurality with (receiver same transmitter) and plurality with (PLL or CDR or (clock or data or carrier) adj3 recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 11:13
S91	72	multiple with (receiver same transmitter) same (PLL or CDR or (clock or data or carrier) adj3 recovery)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 13:45
S92	121	S90 not S91	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 11:21
S93	79	S90 not S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 11:14
S94	1	CDR with RT with transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 14:19
S95	8	CDR same RT same transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 13:53
S96	8	CDR same RT and transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 13:53

EAST Search History

S97	25	CDR and RT and transceiver	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 13:53
S98	17	S97 not S96	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 13:53
S99	174	PHY same MAC same network\$3 adj3 switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 14:20
S10 0	9	transceiver with CDR and PHY same MAC same network\$3 adj3 switch\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/22 14:20
S10 1	2	"20040042556"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:07
S10 2	35	375/215.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:08
S10 3	0	375/3765.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:08
S10 4	2682	375/376.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:09
S10 5	724	375/373.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:08
S10 6	665	375/327.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:08

EAST Search History

S10 7	47	375/294.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:08
S10 8	1366	((difference or error or offset) same ((transmi\$5 same receiv\$3) adj3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:09
S10 9	43	S104 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:09
S11 0	25	S105 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:09
S11 1	6	S106 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:10
S11 2	926	(dual or multiple) with (PLL or phase adj1 locked adj1 loop) same phase adj2 (detect\$3 or compar\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:10
S11 3	17	S106 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/24 12:10